Mechanical feed

Balls machine Mod. FB5

Dimensioni

Lung.	500
Larg.	600
Alt.	1800
Peso circa	400
Pot.	1.5

Caratteristiche

The balls Machine FB5 has been constructed to produce individual balls from tube or from plate. Suitably studied to obtain a continuous production.
Automatic machine with high speed, equipped with safety devices both to avoid the production of faulty balls, and the security and physic integrity of the operator man.
The adjustment of tool is very simple and fast thanks to some registers that simplify this work.
The components of balls machines are easily interchangeables, made by control machines, both initially and finally tested.
Forced lubrication on all wear points.
Min. diameter balls 1,50 mm.
Hole from 0,5 to 0,8.
Max diameter balls 6 mm.
Hole from 1 to 2.
Plate thickness 0,15-0,38.
Plate width 4,70-17,5 mm
Max 180 balls/1'.
Installed horse power 1.5 KW.
Power supply 220 V. 50/60 HZ. 3PH.

Accessori

Industrial touch screen 10” (Industry 4.0 Ready)
Ball moulds

TVN TECH S.r.l. - MACCHINE PER ORAFI / MACHINERY FOR GOLDSMITHS

Via XXV Aprile n. 72 - 52048 Monte San Savino (Arezzo) Italy
Tel. (0575) 810157 - 849149 - Fax (0575) 849149 - E-mail:info@tvntech.it - www.tvntech.it
Cod.Fisc., P.Iva e Reg.Imp.AR IT 02191740519 - R.E.A. 168488
Capitale sociale € 10.000,00 I.V.

Avanzamento Meccanico

Macchina palline Mod. FB5

Dimensioni

Lung.	500
Larg.	600
Alt.	1800
Peso circa	400
Pot.	1.5

Caratteristiche

La Macchina per palline FB5 produce palline sciolte da tubo o da lastra.
Opportunamente studiata per ottenere una produzione in continuo.
L'alta velocità di questa macchina automatica, fa si che sia provvista di dispositivi di sicurezza, da permettere una produttività sicura sia per la produzione, che per salvaguardare la sicurezza e l'integrità fisica dell'operatore. La messa a punto dell'attrezzatura è molto semplice e veloce e alcuni registri semplificano ancora di più tale lavoro. Per facilitare la sostituzione dei particolari, oltre che essere eseguiti con macchine a controllo, superano un attento collaudo, sia iniziale, che finale. La lubrificazione della macchina è forzata su tutti i punti di usura.
Diametro min. palline 1,50 mm.
Fori da 0,5 a 0,8.
Diametro max palline 6 mm.
Fori da 1 a 2.
Spessore lastra 0,15-0,38.
Larghezza lastra 4,70-17,5 mm
Max 180 palline/1' .
Potenza 1,5 KW.

Accessori

Industrial touch screen 10” (Industry 4.0 Ready)
Stampi per palline

TVN TECH S.r.l. - MACCHINE PER ORAFI / MACHINERY FOR GOLDSMITHS

Via XXV Aprile n. 72 - 52048 Monte San Savino (Arezzo) Italy
Tel. (0575) 810157 - 849149 - Fax (0575) 849149 - E-mail:info@tvntech.it - www.tvntech.it
Cod.Fisc., P.Iva e Reg.Imp.AR IT 02191740519 - R.E.A. 168488
Capitale sociale € 10.000,00 I.V.

Voltaggio 220V. - 50/60 HZ. Trifase.

TVN TECH S.r.l. - MACCHINE PER ORAFI / MACHINERY FOR GOLDSMITHS

Via XXV Aprile n. 72 - 52048 Monte San Savino (Arezzo) Italy
Tel. (0575) 810157 - 849149 - Fax (0575) 849149 - E-mail:info@tvntech.it - www.tvntech.it
Cod.Fisc., P.Iva e Reg.Imp.AR IT 02191740519 - R.E.A. 168488
Capitale sociale € 10.000,00 I.V.