

Ash mills

Ash mill Mod. M6

Dimensioni

Lung.	1400
Larg.	800
Alt.	1700
Peso circa	350
Pot.	1.1

Caratteristiche

The whole family of mills is built with a rotor in special double-armoured steel, moved by a motor with hydraulic joint and transmission with gears in an oil bath.
The feed mouth, unlike the competitor mills, is completely free to facilitate the material loading operation.
The stainless steel mesh screens on the rotor guarantee optimal and constant filtering during the entire process.
The machine is for grinding crucibles, boraxes and
ordinary rubbish after having burnt them.
- Steel rotor diam. 600 mm.
- Driving gears in oil-bath.
- Feed input totally free diam. 160 mm.
- Filtering gauze in inox stell, 1200 mesh in sq. cm.
- Iron balls.
- The machine is suitable for continous productions.
- Rubbish production per hour: 20-25 kg.
-Crucibles and boraxes production per hour: 3-4 kg.
Construction standards in accordance to “CE” with respective documentation.
- Installed horse power 1,1 KW.

Accessori

Industrial touch screen 10” (Industry 4.0 Ready)
Steel pedestals
Pneumatic opening of the tailgate and loading hopper
Facilities for manual loading
Automatic vent search system
Soundproofing booth according to ISO standards
Automatic machine loading system
Unloading on 180 lt drum
Customizable Mesh Nets

TVN TECH S.r.l. - MACCHINE PER ORAFI / MACHINERY FOR GOLDSMITHS

Via XXV Aprile n. 72 - 52048 Monte San Savino (Arezzo) Italy
Tel. (0575) 810157 - 849149 - Fax (0575) 849149 - E-mail:info@tvntech.it - www.tvntech.it
Cod.Fisc., P.Iva e Reg.Imp.AR IT 02191740519 - R.E.A. 168488
Capitale sociale € 10.000,00 I.V.



- Power supply 380 V. 50 HZ. Three-phase.

TVN TECH S.r.l. - MACCHINE PER ORAFI / MACHINERY FOR GOLDSMITHS

Via XXV Aprile n. 72 - 52048 Monte San Savino (Arezzo) Italy
Tel. (0575) 810157 - 849149 - Fax (0575) 849149 - E-mail:info@tvntech.it - www.tvntech.it
Cod.Fisc., P.Iva e Reg.Imp.AR IT 02191740519 - R.E.A. 168488
Capitale sociale € 10.000,00 I.V.



Mulini per ceneri

Mulino per ceneri Mod. M6

Dimensioni

Lung.	1400
Larg.	800
Alt.	1700
Peso circa	350
Pot.	1.1

Caratteristiche

Tutta la famiglia dei mulini è costruita con rotore in acciaio speciale a doppia corazza, movimentato tramite motore con giunto idraulico e trasmissione ad ingranaggi a bagno d'olio.
La bocca di alimentazione, a differenza dei mulini competitor, è completamente libera per facilitare l'operazione di carico materiale.
Le reti a maglie in acciaio inox presenti sul rotore garantiscono un filtraggio ottimale e costante durante l'intero processo.
La macchina serve per macinare crogioli, boraci e spazzature di recupero dopo l'incenerimento.
- Rotore in acciaio diametro 600 mm.
- Trasmissione ad ingranaggi a bagno d'olio.
- Bocca di alimentazione completamente libera diametro 160 mm.
- Rete di filtraggio in acciaio inox, 1200 maglie per cmq.
- Sfere in ghisa.
- Macchina adatta a lavorazioni continue .
- Produzione oraria su spazzatura: 20-25 Kg.
- Produzione oraria su crogioli e boraci: 3-4 Kg.

Costruzione secondo normative "CE" con relativa documentazione.
- Potenza installata KW 1,1.

Accessori

Industrial touch screen 10" (Industry 4.0 Ready)
Piedistalli in acciaio
Apertura pneumatica portellone e tramoggia di caricamento
Strutture per caricamento manuale
Sistema di ricerca bocchette automatico
Cabina insonorizzazione a norme ISO
Sistema automatico di caricamento macchina
Scarico su fusto 180 lt
Reti a maglie personalizzabili

TVN TECH S.r.l. - MACCHINE PER ORAFI / MACHINERY FOR GOLDSMITHS

Via XXV Aprile n. 72 - 52048 Monte San Savino (Arezzo) Italy
Tel. (0575) 810157 - 849149 - Fax (0575) 849149 - E-mail:info@tvntech.it - www.tvntech.it
Cod.Fisc., P.Iva e Reg.Imp.AR IT 02191740519 - R.E.A. 168488
Capitale sociale € 10.000,00 I.V.



- Alimentazione 380 V. 50 HZ. Trifase.

TVN TECH S.r.l. - MACCHINE PER ORAFI / MACHINERY FOR GOLDSMITHS

Via XXV Aprile n. 72 - 52048 Monte San Savino (Arezzo) Italy
Tel. (0575) 810157 - 849149 - Fax (0575) 849149 - E-mail:info@tvntech.it - www.tvntech.it
Cod.Fisc., P.Iva e Reg.Imp.AR IT 02191740519 - R.E.A. 168488
Capitale sociale € 10.000,00 I.V.